

aprilia®

2012
SCOOTERS



www.aprilia.com.au/scooters

aprilia®



A background image of a white scooter on a road, with a large red-to-orange gradient circle overlaid on the left side. The circle contains the text 'APRILIA HAS GOT YOU COVERED'.

APRILIA HAS
GOT YOU
COVERED

Whatever your riding environment or your personal taste, from budget to luxury, explore our scooter range and see that **Aprilia has got you covered...**

aprilia®

scarabeo

SCARABEO
500 ie



SILVER CROWD



>>
COLOUR
RANGE

SILVER CROWD



APRILIA BLACK



ENGINE	4-valve single cylinder 4-stroke liquid cooled
FUEL	Unleaded fuel
BORE AND STROKE	92 x 69 mm
DISPLACEMENT	492 cc
COMPRESSION RATIO	10.5±0.5:1
MAXIMUM POWER	29 kW (39 ps) at 7,500 rpm
MAXIMUM TORQUE	43 Nm at 5,500 rpm
FUEL SYSTEM	Electronic injection
IGNITION	Electronic inductive ignition with variable advance
STARTING	Electric
LUBRICATION	Wet sump
GEAR BOX	Automatic CVT
CLUTCH	Automatic centrifugal dry clutch
PRIMARY DRIVE	V belt
FRAME	Double cradle trellis in high strength steel tubing
FRONT SUSPENSION	Telescopic hydraulic fork with 40 mm Ø stanchions wheel travel 104 mm
REAR SUSPENSION	Dual action hydraulic shock absorbers, with adjustable preload and 100 mm wheel travel
BRAKES	Front: dual Æ 260 mm stainless steel discs with floating callipers with two parallel 25 mm Ø pistons and combined front/rear braking system. Rear: Æ240 mm
WHEELS	Light Alloy Front: 3.00 x 16" Rear 4.50 x 14"
TYRES	Tubeless Front: 110/70 x 16" Rear: 150/70 x 14"
DIMENSIONS	Length: 2,263 mm Saddle Height: 785 mm Width: 790 mm Wheelbase: 1,535 mm
TANK CAPACITY	13.2 litres (including 3 litre reserve)
KERB WEIGHT	194kg
ACCESSORIES	Top box plate, Top box 35 lt, Top box 47 lt, Sport windscreen, Touring windscreen, Tunnel bag

aprilia®

scarabeo

SCARABEO
300 ie



APRILIA BLACK



>>
COLOUR
RANGE

ENGINE	4-valve single cylinder 4-stroke liquid cooled
FUEL	Unleaded fuel
BORE AND STROKE	75 mm x 63 mm
DISPLACEMENT	278,3 cc
COMPRESSION RATIO	10.5±11.5:1
MAXIMUM POWER	16,4 kW (22,3 CV) AT 7,500 rpm
MAXIMUM TORQUE	22 Nm at 6,500 rpm
FUEL SYSTEM	Electronic injection
STARTING	Electric
LUBRICATION	Wet sump forced lubrication system with mechanical pump
GEAR BOX	Automatic CVT
CLUTCH	Automatic centrifugal dry clutch
PRIMARY DRIVE	V belt
FRAME	High strength steel tubing
FRONT SUSPENSION	Telescopic hydraulically damped fork with 104 mm wheel travel
REAR SUSPENSION	Dual action hydraulic shock absorber with adjustable preload and 90 mm wheel travel
BRAKES	Front: dual 260 mm with hydraulic transmission. Rear: 240 mm
WHEELS	Light Alloy Front: 3.00 x 16" Rear 3.50 x 14"
TYRES	Tubeless Front: 110/70 x 16" Rear: 140/70 x 14"
DIMENSIONS	Length: 2,270 mm Saddle Height: 785 mm Width: 770 mm Wheelbase: 1,530 mm
TANK CAPACITY	10 litres (2 litre reserve)
KERB WEIGHT	194kg
ACCESSORIES	Top box plate, Top box 35 lt, Top box 47 lt, Sport windscreen, Touring windscreen, Tunnel bag

GLAM WHITE



APRILIA BLACK



MOOD RED



aprilia®

scarabeo

SCARABEO
200 ie



GLAM WHITE



>>
COLOUR
RANGE

GLAM WHITE



APRILIA BLACK



ENGINE	4-valve single cylinder 4-stroke liquid cooled
FUEL	Unleaded petrol.
BORE AND STROKE	63 mm x 58 mm
DISPLACEMENT	180.8 cc
COMPRESSION RATIO	11.6 ± 0.5:1
MAX POWER	14.3 kW (19.5 hp) a 8,000 rpm
MAX TORQUE	18.5 Nm at 6,750 rpm
STARTING	Electric
LUBRICATION	Wet sump forced lubrication system with mechanical pump
GEAR BOX	Automatic CVT
CLUTCH	Automatic centrifugal dry clutch
PRIMARY DRIVE	V belt
FRAME	Front single beam with rear overlapped double cradle, in tubular steel with high yield point
FRONT SUSPENSION	Telescopic hydraulically damped fork with 100 mm wheel travel
REAR SUSPENSION	Dual action hydraulic shock absorber with adjustable preload and 90 mm wheel travel
BRAKES	Combined brakes front and rear. Front: 260 mm disc with 3 piston calliper (integrated braking) Rear: 220 mm disc with single piston calliper
WHEELS	Light Alloy Front: 2.50 x 16" Rear 3.00 x 16"
TYRES	Tubeless Front: 100/80 16" Rear: 120/80 16"
DIMENSIONS	Length: 2,025 mm Saddle Height: 810 mm Width: 725 mm Wheelbase: 1,380 mm
TANK CAPACITY	8.5 litres (including 1.5 litre reserve)
KERB WEIGHT	154kg
ACCESSORIES	Top box plate, Top box 35 lt, Side stand, Windscreen, Tunnel bag

aprilia®

SPORTCITY ONE
50 2T/125



URBAN GREEN



>>
COLOUR
RANGE



URBAN GREEN



CULT WHITE



APRILIA BLACK (GLOSS)

ENGINE	Air-cooled 4-stroke single-cylinder (Air-cooled 2-stroke single-cylinder)*
FUEL	Unleaded fuel
BORE AND STROKE	57 mm x 48.6 mm (40 mm / 39.3 mm)*
DISPLACEMENT	124 cc (50 cc)*
COMPRESSION RATIO	10.6 ± 0.5:1 (10.1 ± 10.5:1)*
CARBURETTOR	Keihin 26 mm carburettor (17.5 mm Dell'Orto carburettor)*
MAXIMUM POWER	7.8 kw (10.6 HP) at 8,000 rpm (3.0 kW (4.08 hp) at 6,500 rpm)*
MAXIMUM TORQUE	10 Nm at 7,000 rpm (4.40 Nm at 6,500 rpm)*
STARTING	Electric and kick start
LUBRICATION	Wet sump forced lubrication system with mechanical pump
GEARBOX	Automatic CVT
CLUTCH	Automatic centrifugal dry clutch
PRIMARY DRIVE	V belt
FRAME	High-strength steel single cradle
FRONT SUSPENSION	Telescopic hydraulic fork, 85 mm wheel travel
REAR SUSPENSION	Engine acts as a swingarm, one hydraulic shock absorber with preload adjustment, 84 mm wheel travel
BRAKES	Front: 220 mm disc with two-piston floating calliper Rear: 140 mm drum
WHEELS	Light alloy Front: 3.00 x 14" Rear: 3.50 x 14"
TYRES	Tubeless Front: 120/70 14" Rear: 120/70 14"
DIMENSIONS	Length: 1,950 mm Saddle Height: 775 mm Width: 740 mm Wheelbase: 1,358 mm
TANK CAPACITY	7.5 litres (including 1.5 litre reserve)
KERB WEIGHT	126kg
ACCESSORIES	Top box plate, Top box 28 lt, Top box 35 lt, Windscreen

* Figures in brackets are for the Sportcity One 50 2T

aprilia®

SPORTCITY
CUBE 300



GLAM WHITE



>>
COLOUR
RANGE



GLAM WHITE



APRILIA BLACK (GLOSS)

ENGINE	4-valve single cylinder 4-stroke liquid cooled
FUEL	Unleaded petrol
BORE AND STROKE	75 mm x 63 mm
DISPLACEMENT	278 cc
COMPRESSION RATIO	11:01
MAXIMUM POWER	16.5 kw (22.5 HP) a 8,000 rpm
MAXIMUM TORQUE	22 Nm at 6,500 rpm
FUEL SYSTEM	Electronic fuel injection
STARTING	Electric
LUBRICATION	Wet sump forced lubrication system with mechanical pump
GEARBOX	Automatic CVT
CLUTCH	Automatic centrifugal dry clutch
PRIMARY DRIVE	V belt
FRAME	Front single beam with rear overlapped double cradle, in tubular steel with high yield point
FRONT SUSPENSION	Telescopic hydraulically damped fork with 100 mm wheel travel
REAR SUSPENSION	Engine serving as swingarm with two shock absorbers with adjustable preload and 80 mm wheel travel
BRAKES	Combined brakes, 260 mm hydraulically operated disc brake
WHEELS	Light alloy Front: 2.75 x 15" Rear: 3.00 x 15"
TYRES	Tubeless Front: 120/70 15" Rear: 130/80 15"
DIMENSIONS	Length: 1,965 mm Saddle Height: 790 mm Width: 890 mm Wheelbase: 1,360 mm
TANK CAPACITY	9 litres (including 1.5 litre reserve)
KERB WEIGHT	148kg
ACCESSORIES	Top box 28 lt, Top box 35 lt, Windscreen, Side stand

aprilia®

MOJITO
CUSTOM 125



IRIS LIGHT BLUE



>>
COLOUR
RANGE



IRIS LIGHT BLUE



APRILIA BLACK

ENGINE	Air-cooled 4-stroke single-cylinder
FUEL	Unleaded fuel
BORE AND STROKE	57.0 mm x 48.6 mm
DISPLACEMENT	124 cc
COMPRESSION	10.6 ± 0.5:1
CARBURETTOR	Keihin carburettor
MAX POWER	7.2 kW (9.8 HP) at 8,250 rpm
MAX TORQUE	9.0 Nm at 7,250 rpm
STARTER	Electric
LUBRICATION	Forced circulation with mechanical pump and wet sump
GEAR BOX	Automatic CVT
CLUTCH	Automatic centrifugal dry clutch
PRIMARY DRIVE	V belt
FRAME	Twinned single beam
FRONT SUSPENSION	Trailing link, with 50 mm wheel travel
REAR SUSPENSION	Hydraulic monoshock with wheel travel 72 mm
WHEELS	Light alloy Front: 3.00 x 12" Rear: 3.50 x 10"
TYRES	Tubeless Front: 120/70 12" Rear: 130/70 10"
BRAKES	Front: 190 mm disc, hydraulically operated Rear: 140mm drum
DIMENSIONS	Length: 1,980mm Saddle Height: 755mm Width: 920mm Wheelbase: 1,350mm
TANK CAPACITY	9 litres (including 2 litre reserve)
KERB WEIGHT	97kg
ACCESSORIES	Rear rack chrome, Top box 28 lt, Top box 35 lt, Windscreen, Side stand chrome, Front protection bars chrome

aprilia®



REPLICA ALITALIA SBK

SR
50R



>>
COLOUR
RANGE



REPLICA ALITALIA SBK



APRILIA WHITE



APRILIA BLACK

ENGINE	Liquid cooled single cylinder two stroke
FUEL	Unleaded fuel
BORE AND STROKE	40 x 39.3 mm
DISPLACEMENT	49 cc
COMPRESSION RATIO	12.1:1
CARBURETTOR	Dell'Orto 17.5 mm carburettor
MAXIMUM POWER	2.7 kW (3.7 HP) at 6,500 rpm
MAXIMUM TORQUE	4.3 Nm at 6,000 rpm
STARTING	Electric
LUBRICATION	Separate with mechanical oil pump
GEARBOX	Automatic CVT
CLUTCH	Automatic centrifugal dry clutch
PRIMARY DRIVE	V belt
FRAME	Split single cradle in high strength steel tube
FRONT SUSPENSION	Hydraulic fork; wheel travel 90 mm
REAR SUSPENSION	Engine acting as swingarm, coupled to frame by linkages mounted on two silent-block radial vibration dampers with wheel travel of 69 mm
BRAKES	Front: 190 mm disc with racing caliper and two 32 mm opposing pistons Rear: 190 mm disc with racing caliper and two 30 mm opposing pistons
WHEELS	Light alloy Front: 3.50 x 13" Rear: 3.50 x 13"
TYRES	Tubeless Front: 130/60 13" Rear: 130/60 13"
DIMENSIONS	Length: 1,860mm Saddle Height: 795mm Width: 705mm Wheelbase: 1,260mm
TANK CAPACITY	7 litres (including 1.2 litre reserve)
KERB WEIGHT	108kg
ACCESSORIES	Top box plate, Top box 28 lt, Top box 35 lt, Large windscreen, Sport windscreen, Side stand, Racing shock absorber, Front baffles

aprilia®

ACCESSORIES



SPORTCITY ONE 50 - WHITE

A selection of accessories are available for all scooters, please go to aprilia.com.au/scooters for the full range



CM220401
Top Box 35 Lt



CM220815
Red shine cover



CM220817
White cover



CM220818
Black cover



AP8795049
Racing shock



AP8797216
Air deflectors



AP8792285
Tunnel bag



AP851984
Top box support plate

aprilia

Dealer:

www.aprilia.com.au/scooters



Disclaimer: Technical specifications and colours of the scooters illustrated in this brochure may change without notice. Some models may be fitted with optional accessories.